

Psychiatry Intake Form (Under Age 18)

Child's Full Name _____ Child's Date of Birth _____

Who is completing this form and what is your relationship to the child?

Who lives at home with the child, including adults and other children?

Who are the child's legal guardians?

Is the child adopted or in foster care? **Yes** **No**

Are there any firearms or other weapons in the home? **Yes** **No**

What are the problems or concerns for which you are seeking help?

1. _____

2. _____

3. _____

4. _____

What mental health conditions has your child previously been diagnosed with?

Has your child ever stayed overnight in the hospital for mental health reasons? **Yes** **No**

Has your child ever been to the emergency room for mental health reasons? **Yes** **No**

Has your child ever attempted suicide or self-harmed? **Yes** **No**

Does your child have concerns about their sexual orientation or gender identity? **Yes** **No**

Has your child ever been in therapy or counseling for mental health concerns? **Yes** **No**

Current Therapist/Counselor (if applicable) _____

Current Therapist/Counselor Phone or Email _____

Has your child ever had testing completed by a psychologist or through their school, including IQ testing, achievement testing, or testing for autism spectrum disorder? **Yes** **No**

If so, where was the testing done? _____

Has anyone related to your child ever been treated for mental health conditions or substance abuse? Examples include depression, anxiety, OCD, ADHD/ADD, autism, learning disabilities, bipolar disorder, schizophrenia, suicide attempts, alcoholism, or drug use. **Yes** **No**

If yes, please explain:

List all **current** prescriptions, other medications, and supplements your child is taking:

Medication Name	Dose	Estimated Start Date

List any **past** medications that your child has tried for behavioral or mental health concerns:

Medication Name	Dose	Estimated Dates Taken

What school does your child attend? _____

Current Grade: _____ Has your child ever repeated a grade? **Yes No**

Does your child have an IEP, 504 plan, or any other extra help at school? **Yes No**

Who should we contact at your child's school if needed, including their phone or email?

In the past, has your child ever:

- | | | |
|-------------------------------------|------------|-----------|
| Been neglected | Yes | No |
| Been physically abused | Yes | No |
| Been emotionally or verbally abused | Yes | No |
| Been sexually abused or assaulted | Yes | No |
| Been bullied | Yes | No |
| Witnessed domestic violence | Yes | No |
| Experienced another traumatic event | Yes | No |

Radiology	Special	Labs	Letters	Old Records
Hospital	ER/UC	Screens	Reports	Forms/Orders
Visit Date/Order	_____			OR
Date of Document	_____			
Label	Psych Intake			
Result/Notes	_____			
				Initials TM

To your knowledge, has your child ever used nicotine products (including vaping), alcohol, or illicit drugs (including marijuana)? **Yes No**

Has your child received physical therapy, occupational therapy, or speech therapy? **Yes No**

Were there any problems during the pregnancy or birth of your child? **Yes No**

Was your child exposed to any nicotine, alcohol, or drugs during the pregnancy? **Yes No**

*I grant permission for Pediatric Associates of Mt. Carmel to obtain information from and maintain contact with any of the persons listed above about my child's mental health history, if it is felt to be necessary to provide optimal care for my child. **Yes No***

Guardian's Signature: _____

Printed Name: _____ Date: _____

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child.
When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child was on medication was not on medication not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____
 Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Somewhat of a			
		Above Average	Average	Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1-9: _____
 Total number of questions scored 2 or 3 in questions 10-18: _____
 Total Symptom Score for questions 1-18: _____
 Total number of questions scored 2 or 3 in questions 19-26: _____
 Total number of questions scored 2 or 3 in questions 27-40: _____
 Total number of questions scored 2 or 3 in questions 41-47: _____
 Total number of questions scored 4 or 5 in questions 48-55: _____
 Average Performance Score: _____

Radiology Special Labs Letters Old Records
 Hospital ER/UC Screens Reports Forms/Orders
 Visit Date/Order _____ OR
 Date of Document _____
 Label Vanderbilt Parent
 Result/Notes _____
 _____ Initials JM



Screen for Child Anxiety Related Disorders (SCARED)

CHILD Version—Page 1 of 2 (to be filled out by the CHILD)

Developed by Boris Birmaher, M.D., Suneeta Khetarpal, M.D., Marlane Cully, M.Ed., David Brent, M.D., and Sandra McKenzie, Ph.D., Western Psychiatric Institute and Clinic, University of Pittsburgh (October, 1995). E-mail: birmaherb@upmc.edu

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(10), 1230–6.

Name: _____ Date: _____

Directions:

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is “Not True or Hardly Ever True” or “Somewhat True or Sometimes True” or “Very True or Often True” for you. Then, for each sentence, fill in one circle that corresponds to the response that seems to describe you *for the last 3 months*.

	0	1	2	
	Not True or Hardly Ever True	Somewhat True or Sometimes True	Very True or Often True	
1. When I feel frightened, it is hard to breathe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
2. I get headaches when I am at school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
3. I don't like to be with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
4. I get scared if I sleep away from home.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
5. I worry about other people liking me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
6. When I get frightened, I feel like passing out.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
7. I am nervous.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
8. I follow my mother or father wherever they go.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
9. People tell me that I look nervous.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
10. I feel nervous with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
11. I get stomachaches at school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
12. When I get frightened, I feel like I am going crazy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
13. I worry about sleeping alone.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
14. I worry about being as good as other kids.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
15. When I get frightened, I feel like things are not real.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
16. I have nightmares about something bad happening to my parents.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
17. I worry about going to school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
18. When I get frightened, my heart beats fast.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
19. I get shaky.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
20. I have nightmares about something bad happening to me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP

Screen for Child Anxiety Related Disorders (SCARED)

CHILD Version—Page 2 of 2 (to be filled out by the CHILD)

	0	1	2	
	Not True or Hardly Ever True	Somewhat True or Sometimes True	Very True or Often True	
21. I worry about things working out for me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
22. When I get frightened, I sweat a lot.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
23. I am a worrier.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
24. I get really frightened for no reason at all.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
25. I am afraid to be alone in the house.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
26. It is hard for me to talk with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
27. When I get frightened, I feel like I am choking.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
28. People tell me that I worry too much.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
29. I don't like to be away from my family.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
30. I am afraid of having anxiety (or panic) attacks.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
31. I worry that something bad might happen to my parents.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
32. I feel shy with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
33. I worry about what is going to happen in the future.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
34. When I get frightened, I feel like throwing up.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
35. I worry about how well I do things.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
36. I am scared to go to school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
37. I worry about things that have already happened.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
38. When I get frightened, I feel dizzy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
39. I feel nervous when I am with other children or adults and I have to do something while they watch me (for example: read aloud, speak, play a game, play a sport).	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
40. I feel nervous when I am going to parties, dances, or any place where there will be people that I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
41. I am shy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC

SCORING:

A total score of ≥ 25 may indicate the presence of an **Anxiety Disorder**. Scores higher than 30 are more specific. **TOTAL =**

A score of 7 for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate **Panic Disorder or Significant Somatic Symptoms**. **PN =**

A score of 9 for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate **Generalized Anxiety Disorder**. **GD =**

A score of 5 for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate **Separation Anxiety SOC**. **SP =**

A score of 8 for items 3, 10, 26, 32, 39, 40, 41 may indicate **Social Anxiety Disorder**. **SC =**

A score of 3 for items 2, 11, 17, 36 may indicate **Significant School Avoidance**. **SH =**

For children ages 8 to 11, it is recommended that the clinician explain all questions, or have the child answer the questionnaire sitting with an adult in case they have any questions.

The SCARED is available at no cost at www.wpic.pitt.edu/research under tools and assessments, or at www.pediatric.bipolar.pitt.edu under instruments.